

KNOWLEDGE BASE · PUBLIC DOCUMENT

Cron jobs worth setting up on a small website: seven ideas that save time

Automation & n8n

CODE

RLX-MZ-KB-1045

VERSION

v2026.10.18

COUNTRY · LANGUAGE

Mozambique · English

MozOut Mozambique

RLX Holdings, S.A. · Group RLX Holdings

Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

<https://www.meu.mozout.co.mz/knowledgebase/1045>

Cron jobs worth setting up on a small website: seven ideas that save time

Automation & n8n Created on **October 10, 2026** Updated on **October 18, 2026** 3 min read



A cron job is for anything you would otherwise repeat by hand at the same time every day or week: taking a copy of the database, deleting temporary files, importing a price list, sending a summary by e-mail. If you already know how to create one, here are **seven concrete uses** for a small site on shared hosting. To create one, see **cron jobs: what they are for and how to create one**.

➞ Seven ideas, most useful first

- 1 A database copy every night.** A `mysqldump` into a folder outside `public_html`, named after the day. It is your insurance against a mistake of yours or a plugin's. The steps are in **automatic backups with cron and mysqldump**.
- 2 Clearing out old files.** Exports, temporary files and old copies fill the space without anyone noticing. For example, `find /home/ACCOUNT/exports -type f -mtime +7 -delete` removes whatever is older than seven days. Run it first with `-print` in place of `-delete` to see what would go.
- 3 Replacing the WordPress scheduler with a real cron job.** Scheduled posts go out on time even with no visitors. See **swapping WP-Cron for a real server cron job**.
- 4 Calling an address on your own site.** Many applications ship a file made for this, such as `/usr/bin/curl -s "https://asuaempresa.co.mz/cron.php?key=SECRET" >/dev/null 2>&1`. Put a key in the address, or anyone can call it.
- 5 Importing data from outside.** A price or stock list a supplier drops every night, read by a PHP script. See **running a PHP script from a cron job**.

6 Sending a report. Today's orders, enquiries received, space used. See **a scheduled report by e-mail**.

7 Warning you when something fails. A script that checks a page or a file and sends a notice. See **getting an alert when your site goes down**.

How often, and where to see the result

Job	A reasonable frequency	Where you see it ran
Database copy	Once a day, in the small hours.	The new file in the backup folder.
Clearing files	Once a day or once a week.	A smaller folder; use <code>>></code> for a log.
WordPress cron	Every five minutes.	A scheduled post that goes out on time.
Importing data	When the supplier updates, plus a margin.	The modification date of the file or table.
E-mail report	Once a day or once a week.	The e-mail in your inbox.

A cron job spends your account's resources like a visitor does.

Do not schedule anything every minute unless you must: if one run takes longer than the interval they start piling up. The reasoning is in **cron jobs**.



Keep scripts outside `public_html`

, in a folder such as `/home/ACCOUNT/scripts`. Nobody can open them from a browser, and they stop depending on the site's address. Add `>> /home/ACCOUNT/cron.log 2>&1` to the end of the line for the first weeks, so you have a record of what happened.

RECOMMENDED

Want a plan with cPanel and scheduled tasks? See the hosting plans.

 **See the plans** →

Where to see it in your account

Your cron jobs run inside your account, under the same limits as the rest of the site. The **Cron Jobs** page in cPanel lists what is scheduled and when. To know whether a job ran into a limit, open **Resource Usage**: it shows CPU, memory, entry processes and I/O against the limits of your account, and when the ceiling was reached. A job that goes past those limits can be slowed down or stopped, so it is better to split long jobs into short parts or, for heavy work, move them to a VPS, which gives you full SSH access. For the exact figures that apply to your account, read them on those screens or ask us.

SEE ALSO

[Cron jobs: what they are for and how to create one](#) 

[A cron job that does not run or sends no output: a checklist](#) 

[Cron schedule examples: every 15 minutes, weekdays at 8, the first of the month](#) 

[Hosting plans](#) 

Mozout

MozOut Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT) 401 191 607

LEGAL ENTITY NO. (NUEL) 105 045 974

ECONOMIC ACTIVITY
CODE (CAE) 62022

REGISTERED OFFICE Bairro 7 de Setembro
Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique

CONTACT info@mozout.co.mz · +258 84 635 1111 · +258 86 635 1111 ·
www.mozout.co.mz

OPENING HOURS Monday to Friday - 08 AM to 04 PM
Saturday & Sunday - Closed

RLX-MZ-KB-1045 · v2026.10.18 · Generated on 21/10/2026 17:41



Online version of this
document