

KNOWLEDGE BASE · PUBLIC DOCUMENT

Running a Node.js script on a schedule in cPanel

Automation & n8n

CODE

RLX-MZ-KB-1075

VERSION

v2026.10.18

COUNTRY · LANGUAGE

Mozambique · English


MozOut Mozambique

RLX Holdings, S.A. · Group RLX Holdings

Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

<https://www.meu.mozout.co.mz/knowledgebase/1075>

Running a Node.js script on a schedule in cPanel

 Automation & n8n Created on **October 10, 2026** Updated on **October 18, 2026** 3 min read

To schedule a Node.js script in cPanel, create a **Node.js application** (to get the right version and the `node_modules` folder) and make the **cron job call that environment's `node`**, with the script's full path. Just calling "`node`" in cron will not do: cron does not know the version you chose.

➞ Step by step

- 1 Create the application in "Setup Node.js App".** Choose the version and the application folder. It works as the environment even if your script never answers web requests. See **Node.js in cPanel: choosing the version and using npm**.
- 2 Install the dependencies** with the `npm` of the application's environment, from `package.json`. The application's install button does the same.
- 3 Put the script in the application folder**, or in a folder of your own outside `public_html`. Use full paths for any file it reads or writes.
- 4 Find the environment's `node`.** The application screen shows the command that activates the environment, with a path ending in `bin/activate`. Copy the path and swap `activate` for `node`.
- 5 Write the cron line:** the environment's `node` path, the script path, and `>> /home/ACCOUNT/job.log 2>&1`. For the schedule see **cron schedule examples**.
- 6 Keep the configuration in a file of your own**, outside `public_html`. The environment variables on the application screen belong to the application, and cron does not see them.

? What usually goes wrong

Symptom	Cause	What to do
node: command not found	Cron does not have node on its path.	Use the full path of the environment's node .
Cannot find module	The dependencies were not installed, or the script runs in another folder.	Install in the environment and give a full path to the script.
Wrong version	Cron calls a different version from the one the application uses.	Point at the node of the chosen version.
The script never ends	A connection is left open, or a timer stays active.	End explicitly with process.exit() when done, or close the connections.
"Out of memory" error	The script reads everything into memory.	Process in parts, or use a VPS for large jobs.

Tell cron whether it went well. End the script with a non-zero exit code when something fails (for example by setting `process.exitCode = 1`) and write the error to the output. That way cron's e-mail, or a notice of your own, only appears when there is a reason. For the notice, see [alerts to Telegram](#).



Cron is for jobs that finish.

A script that stays up all the time (a server, a bot) is another matter: on a shared plan it runs as a Node.js application managed by the panel, and on a VPS it can run as a service. See [keeping a Node.js app running on a VPS with PM2](#).



Test the script by hand before you schedule it

, in the cPanel Terminal if your account has one, with the same line you will put in cron. If it works there, only the schedule is left.

⚡ RECOMMENDED

Want a plan with Node.js and cron in cPanel? See the hosting plans.

 [See the plans](#) →

Where to see it in your account

The Node.js versions you can use are the ones your cPanel offers, so read them there: open **Setup Node.js App** and start creating an application, and the available versions appear in the version field. If the Setup Node.js App icon is not in your cPanel, ask us whether your plan can have it, because the recipe above depends on it. To find out whether your account also has a command line, look for **Terminal** or **SSH Access** in cPanel: if either appears, the account has SSH. For a specific Node.js version or a script that has to stay running, a VPS gives you full SSH access and lets you install what you need.

SEE ALSO

[Node.js in cPanel: choosing the version and using npm](#) 

[Getting a Node.js application running](#) 

[Cron jobs: what they are for and how to create one](#) 


Mozout

MozOut Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@mozout.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.mozout.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

RLX-MZ-KB-1075 · v2026.10.18 · Generated on 21/10/2026 17:41



Online version of this
document