Mozout

Generated on 29/11/2026 08:31

KNOWLEDGE BASE · PUBLIC DOCUMENT

Aider with All in One AI: the two variables, the openai/ prefix and the context window

Aider

CODE
RLX-MZ-KB-2947

VERSION
v2026.11.29

COUNTRY · LANGUAGE
Mozambique · English

MozOut Mozambique
RLX Holdings, S.A. · Group RLX Holdings
Tax ID (NUIT) 401 191 607 · Legal entity no. (NUEL) 105 045 974 · Economic activity code (CAE) 62022

https://www.meu.mozout.co.mz/knowledgebase/2947

Aider with All in One AI: the two variables, the openai/ prefix and the context window

Aider Created on **November 28, 2026** Updated on **November 29, 2026** 10 min read



Aider is a terminal coding assistant that works inside your Git repository. It accepts any OpenAI-compatible API, so it can use All in One AI models with the MozOut key. You only need two variables and the model name with the `openai/` prefix.

Before you start

1. Create a key in the **API Center** with the `ai:read` and `ai:write` permissions. Use a `sandbox_` key to check the setup without spending and a `prod_` key to work. The fields are explained in **creating an API key**.
2. Have AI credits or an active Coding Plan in **All in One AI**.
3. Install Aider, as the official documentation says: `python -m pip install aider-install` and then `aider-install`.

1. The two variables

Aider reads the address from `OPENAI_API_BASE` and the key from `OPENAI_API_KEY`. **On Windows**, in Command Prompt or PowerShell:

```
setx OPENAI_API_BASE https://api.mozout.co.mz/v1
setx OPENAI_API_KEY "prod_..."
```

Close the terminal and open a new one, which will read the variables. **On Linux and macOS**:

```
export OPENAI_API_BASE=https://api.mozout.co.mz/v1
export OPENAI_API_KEY="prod_..."
```

To have them in every new terminal, add both lines to `~/.bashrc` or `~/.zshrc`. Note: these are OpenAI's names. Any other program on the computer that reads them will also use our API.

2. Open Aider with the model

```
cd my-project
aider --model openai/moonshotai/kimi-k2.7-code
```

`openai/` tells Aider to use the OpenAI-compatible format. The rest is the catalogue id, with its own slash. Say "hello". With a `sandbox_` key, the answer is always "Resposta de teste (sandbox).".

3. The "Unknown context window size" warning

Aider has no data on our models, so it warns that it does not know their context or cost. Its documentation says that in most cases you can ignore the warning. To give it the context, create the file `.aider.model.metadata.json` in your home folder. On Linux and macOS:

```
nano ~/.aider.model.metadata.json
```

In Windows PowerShell:

```
notepad "$HOME\.aider.model.metadata.json"
```

Notepad asks whether to create the file: answer yes. That way the name is exact. If you use **Save as**, choose **All files (*.*)** as the type: otherwise Windows adds `.txt` and the file becomes `.aider.model.metadata.json.txt`, which the tool does not read. Windows hides that ending. To check, type `dir` in the same folder: the name must end in `.json`.

Paste this and save:

```
{
    "openai/anthropic/claude-fable-5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-fable-5.1": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6-astra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-fable-5.2": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/openai/gpt-6.2-astra": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/openai/gpt-6.2-astra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
```

```
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-5.5": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
     "openai/anthropic/claude-opus-4.5-20251101-coding": { "max_tokens": 16000,
"max_input_tokens": 200000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.6": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.7": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-4.8": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/anthropic/claude-opus-5": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-opus-5.5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/moonshotai/kimi-k3.1-pro-highspeed": { "max_tokens": 16000,
"max_input_tokens": 1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-5.6-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-sonnet-4.6": { "max_tokens": 16000, "max_input_tokens":
200000, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k3": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.1-pro-preview": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-sonnet-5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/anthropic/claude-sonnet-5.5": { "max_tokens": 16000, "max_input_tokens":
1000000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/moonshotai/kimi-k3.1-pro": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
```

```
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/openai/gpt-6-sol-codex": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.1-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.2-sol-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-2.5-pro": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.5-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.7-max": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-4-argon": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.6-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.5": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.6": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.7": { "max_tokens": 16000, "max_input_tokens": 500000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-4-carbon-developer": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/anthropic/claude-haiku-4.5-20251001": { "max_tokens": 16000,
"max_input_tokens": 200000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/openai/gpt-6.1-terra-codex": { "max_tokens": 16000, "max_input_tokens":
1050000,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.3": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.8-max": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
        "openai/bytedance/doubao-seed-2.1-pro-260628": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.1": { "max_tokens": 16000, "max_input_tokens": 202752,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/deepseek-ai/deepseek-v4-pro": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k2.6": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/moonshotai/kimi-k2.7-code": { "max_tokens": 16000, "max_input_tokens":
262144, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.7-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-3.8-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5": { "max_tokens": 16000, "max_input_tokens": 202752,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.5-397b-a17b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/zai-org/glm-5.2": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/xai/grok-4.3": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
        "openai/bytedance/doubao-seed-2.0-pro-260215": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3-flash-preview": { "max_tokens": 16000, "max_input_tokens":
200000, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.8-27b": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
   "openai/tencent/hy4-preview": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/moonshotai/kimi-k2.5": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/google/gemini-2.5-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.5-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.5-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.1-turbo-260628":    {    "max_tokens":    16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/qwen/qwen3.5-122b-a10b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.5-27b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.6-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.0-lite-260428":    {    "max_tokens":    16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/qwen/qwen3.7-plus": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-3.1-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/deepseek-ai/deepseek-v4.1-flash": { "max_tokens": 16000, "max_input_tokens":
1048576,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
    "openai/meituan-longcat/longcat-2.0": { "max_tokens": 16000, "max_input_tokens":
1048756,       "max_output_tokens":       16000,       "input_cost_per_token":       0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/xiaomi/mimo-v2.5-pro": { "max_tokens": 16000, "max_input_tokens": 1024000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
```

```
"litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.6-35b-a3b": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-character-260628": { "max_tokens": 16000,
"max_input_tokens": 131072, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
     "openai/tencent/hy3": { "max_tokens": 16000, "max_input_tokens": 262144,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
  "openai/zai-org/glm-5.3-flash": { "max_tokens": 16000, "max_input_tokens": 1048576,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/deepseek-ai/DeepSeek-V3.2-Exp": { "max_tokens": 16000, "max_input_tokens":
163840, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
    "openai/deepseek-ai/deepseek-v3.2": { "max_tokens": 16000, "max_input_tokens":
163840, "max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token":
0, "litellm_provider": "openai", "mode": "chat" },
    "openai/anthropic/claude-haiku-5.5": { "max_tokens": 16000, "max_input_tokens":
1000000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
  "openai/openai/gpt-6-luna-codex": { "max_tokens": 16000, "max_input_tokens": 1050000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
       "openai/bytedance/doubao-seed-2.0-mini-260428": { "max_tokens": 16000,
"max_input_tokens": 262144, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/google/gemini-2.5-flash-lite": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
   "openai/qwen/qwen3.5-flash": { "max_tokens": 16000, "max_input_tokens": 1000000,
"max_output_tokens": 16000, "input_cost_per_token": 0, "output_cost_per_token": 0,
"litellm_provider": "openai", "mode": "chat" },
   "openai/deepseek-ai/deepseek-v4-flash": { "max_tokens": 16000, "max_input_tokens":
1048576, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" },
        "openai/dots-studio/dots-3-note-prev-free": { "max_tokens": 16000,
"max_input_tokens": 512000, "max_output_tokens": 16000, "input_cost_per_token": 0,
"output_cost_per_token": 0, "litellm_provider": "openai", "mode": "chat" }
}
```

The block key is the full name you pass in `--model`. The costs are 0 because Aider does not know our credits: the real spending shows in the History tab of **All in One AI**. We reserve credits for the maximum output the tool asks for in each answer. That is why the examples ask for 16,000 tokens: it is enough for coding and needs a smaller balance

than a higher value. Aider also reads this file at the root of the repository and in the folder where you start it.

So you do not have to type the model every time

Create `.aider.conf.yml` in your home folder, with this line:

```
model: openai/moonshotai/kimi-k2.7-code
```

Then just type `aider`. For another model, change the id. Use one that supports tools:

Model	Context	What for
`moonshotai/kimi-k2.7-code`	262,144 tokens	Built for coding: the starting point for everyday work.
`deepseek-ai/deepseek-v4-pro`	1,048,576 tokens	Strong reasoning, for big changes and hard bugs.
`zai-org/glm-5.2`	1,048,576 tokens	Made for agents: handles tools well in long tasks.
`deepseek-ai/deepseek-v4-flash`	1,048,576 tokens	Fast and cheap, for background tasks and short questions.

The ids are in the Models tab of **All in One AI** or in the API list. On Linux and macOS:

```
curl "https://api.mozout.co.mz/v1/models?type=text" -H "Authorization: Bearer $MOZOUT_API_KEY"
```

In Windows PowerShell:

```
curl.exe "https://api.mozout.co.mz/v1/models?type=text" -H "Authorization: Bearer $env:MOZOUT_API_KEY"
```

Each model comes with its `id` (always with the slash), its `context_length` and its price in `pricing`. Listing the models spends no credits.

If you get an error, see **errors when setting up a tool with All in One AI**.

RECOMMENDED

Want our models in Aider? Visit the Coding with AI page.

See Coding with AI →

SEE ALSO

- Errors when setting up a tool with All in One AI: 401, model not found, no credits, /v1 and rejected config files
- Which coding tool to use with All in One AI: OpenCode, Claude Code, Codex, Cursor, Cline, Kilo Code or Aider
- OpenCode with All in One AI: creating opencode.json from scratch, the key and the models
- Coding Plan: which plan to choose, what it costs and how to subscribe
- Coding with AI in All in One AI

Mozout

MozOut Mozambique

RLX Holdings, S.A. · Group RLX Holdings

TAX ID (NUIT)	401 191 607
LEGAL ENTITY NO. (NUEL)	105 045 974
ECONOMIC ACTIVITY CODE (CAE)	62022
REGISTERED OFFICE	Bairro 7 de Setembro Vilankulo 1304 · CEP 0411-02, Inhambane, Mozambique
CONTACT	info@mozout.co.mz · +258 84 635 1111 · +258 86 635 1111 · www.mozout.co.mz
OPENING HOURS	Monday to Friday - 08 AM to 04 PM Saturday & Sunday - Closed

Online version of this document

RLX-MZ-KB-2947 · v2026.11.29 · Generated on 29/11/2026 08:31